



Fig.1

35-100-001 21,0 x 9,5 mm



Fig.2

35-100-002 21,0 x 10,5 mm



GOLDSMITH (THUDICHUM)

35-100-001 - 35-100-003

6,5 cm / 2 1/2"




Fig.3

35-100-003 21,0 x 11,5 mm




FIG. 1

35-110-001



FIG. 2

35-110-002



HARTMANN-HALLE

35-110-001 - 35-110-003

15,0 cm / 6"




FIG. 3

35-110-003



Fig.1

35-120-001




Fig.2

35-120-002




Fig.3

35-120-003

HARTMANN

35-120-001 - 35-120-003

15,0 cm / 6"



Fig.1

35-130-001



Fig.2

035-130-002



Fig.3

35-130-003

MOD. WIEN

35-130-001 - 35-130-003

14,5 cm / 5 1/4"



lightweight

MOD. WIEN

35-132-135 13,5 cm / 5 1/4"



Fig.1

35-140-001




Fig.2

35-140-002

TIECK-HALLE

35-140-001 - 35-140-002

13,0 cm / 5 1/8"



KILIAN

35-150-001 - 35-150-003

13,0 cm / 5 1/8"



COTTLE

35-160-001 - 35-160-004

13,5 cm / 5 1/4"




FIG. 1

35-150-001 35 mm




FIG. 2

35-150-002 50 mm




FIG. 3

35-150-003 75 mm




FIG. 5

35-150-004 90 mm



FIG. 1

35-160-001 35 mm



FIG. 2

35-160-002 50 mm




FIG. 3

35-160-003 75 mm





FIG. 4

35-160-004 90 mm



BECKMANN Fig.1
35-164-001 13,0 cm / 5 1/8"




BECKMANN Fig.2
35-164-002 14,0 cm / 5"



KRAUSE
35-171-260 26,0 cm / 10 1/4"

Shaft Ø 3 mm



KRAUSE-VOSS
35-173-260 26,0 cm / 10 1/4"

Shaft Ø 3 mm

with 2 caps

Snare loops Ø 0,30 mm
Bundle with 12 pieces



35-175-003 10,0 cm



TRÖLTSCH

35-181-150 15,0 cm / 6"



TRÖLTSCH

35-181-180 18,0 cm / 7"



JANSEN (GRÜNWALD)

35-185-180 18,0 cm / 7"
35-185-200 20,0 cm / 8"



WESTMACOTT

35-201-200 20,0 cm / 8"



LUBET-BARBON

35-203-185 18,5 cm / 7 1/4"



HARTMANN

35-205-160 16,0 cm / 6 1/4"



HARTMANN

35-207-200 20,0 cm / 8"




KILLIAN

35-209-170 17,0 cm / 6³/₄"



HEYMANN

35-221-180 18,0 cm / 7"



KNIGHT

35-223-180 18,0 cm / 7"



CRAIG

35-225-160 16,0 cm / 6¹/₄"



35-229-001

left curved



35-229-002

right curved

35-229-001 - 35-229-002

16,0 cm / 6¹/₄"



FIG. 1
35-231-001



FIG. 2
35-231-002




FIG. 1
35-233-001



FIG. 2
35-233-002

LUC

35-231-001 - 35-231-002

19,0 cm / 7 1/2"

LUC

35-233-001 - 35-233-002

19,0 cm / 7 1/2"



FIG. 1
35-235-001



FIG. 2
35-235-002



FIG. 3
35-235-003




FIG. 4
35-235-004

BRUENINGS

35-235-001 - 35-235-004

19,0 cm / 7 1/2"



TAKAHASHI

35-240-190 - 35-241-190

3 x 8 mm



35-240-190

straight


3 x 8 mm



35-241-190

bent upwards

19,0 cm / 7 1/2"



WATSON-WILLIAMS

35-243-190

straight




35-245-190

straight

35-243-190 - 35-245-190

19,0 cm / 7 1/2"



HARTMANN

35-251-005 - 35-251-011

19,0 cm / 7 1/2"



35-251-005 Ø 5 mm



35-251-007 Ø 7 mm



35-251-009 Ø 9 mm



35-251-011 Ø 11 mm




SCHMEDEN

35-253-190 19,0 cm / 7 1/2"

jaw width 8,0 mm

Nasal Cutting Forceps

35



STRUYCKEN

35-255-001 - 35-255-002

19,0 cm / 7 1/2"

FIG. 1


35-255-001

jaw width 1,0 mm

FIG. 2

35-255-002

jaw width 1,5



WEIL-BLAKESLEY

35-261-001 - 35-262-005

19,0 cm / 7 1/2"



FIG. 1

35-261-001

jaw width 3,0 mm



FIG. 2

35-261-002

jaw width 3,5 mm



FIG. 3

35-261-003

jaw width 4,5 mm



FIG. 4

35-261-004

jaw width 5,0 mm




FIG. 5

35-261-005

jaw width 5,5 mm



with neck



FIG. 1

35-262-001

jaw width 3,0 mm



FIG. 2

35-262-002

jaw width 3,5 mm



FIG. 3

35-262-003

jaw width 4,5 mm



FIG. 4

35-262-004


jaw width 5,0 mm



FIG. 5

35-262-005

jaw width 5,5 mm



WEIL-BLAKESLEY

35-263-001 - 35-263-004

19,0 cm / 7 1/2"



FIG. 1

35-263-001

jaw width 3,0 mm




FIG. 2

35-263-002

jaw width 3,5 mm



FIG. 3

35-263-003


jaw width 4,5 mm



FIG. 4

35-263-004

jaw width 5,0 mm



WEIL-BLAKESLEY

35-265-001 - 35-265-004

19,0 cm / 7 1/2"




FIG. 1

35-265-001

jaw width 3,0 mm




FIG. 2

35-265-002

jaw width 3,5 mm



FIG. 3

35-265-003


jaw width 4,5 mm



FIG. 4

35-265-004

jaw width 5,0 mm



WEIL-BLAKESLEY

35-271-001 - 35-279-003

19,0 cm / 7½"

straight



35-271-001 2,5 mm



35-271-002 3,6 mm




35-271-003 4,8 mm

45° up curved



35-273-001 2,5 mm



35-273-002 3,6 mm



35-273-003 4,8 mm

90° up curved



35-275-001 2,5 mm



35-275-002 3,6 mm




35-275-003 4,8 mm


right curved



35-277-001 2,5 mm



35-277-002 3,6 mm



35-277-003 4,8 mm


left curved




35-279-001 2,5 mm



35-279-002 3,6 mm



35-279-003 4,8 mm




retrograde cut

STAMMBERGER

35-291-001 - 35-291-003

Antrum Punch



35-291-001

2 mm

up cutting



35-291-002

2 mm


right cutting



35-291-003


2 mm

left cutting



STAMMBERGER

05-295-001 2 mm



35-301-001 - 35-301-003




35-301-001 Ø 5 mm

straight cutting




35-301-002 Ø 5 mm

right curved cutting



35-301-003 Ø 5 mm

left curved cutting



35-305-001 - 35-305-003



35-305-001 Ø 3,5 mm

straight cutting




35-305-002 Ø 3,5 mm

right curved cutting



35-305-003 Ø 3,5 mm

left curved cutting




MIDDLETON-JANSEN

35-321-190 19,0 cm / 7½"



MIDDLETON-JANSEN

35-323-190 19,0 cm / 7½"



CAPLAN

35-325-200 20,0 cm / 8"



RUBIN

35-327-210 21,0 cm / 8¼"



35-328-001

Protection Cap

140 mm



35-340-040

up cutting



35-342-040

down cutting

HAJEK

35-340-040 - 35-342-040

14,0 cm / 5 1/2"

140 mm



35-344-035

up cutting



35-346-035

down cutting

HAJEK-KOFLER

35-344-035 - 35-346-035

14,0 cm / 5 1/2"



3x3 mm	4x4 mm
	
35-350-033	35-350-044
up cutting	up cutting
5x5 mm	6x6 mm
	
35-350-055	35-350-066
up cutting	up cutting

KERRISON
35-350-033 - 35-350-066 17,0 cm / 6¾"



	1,5 mm
	2,0 mm
	3,0 mm

CITELLI
34-450-015 - 34-450-030 17,0 cm / 6¾"





FIG. 1
35-400-160

FIG. 2
35-401-160

JOSEPH

35-400-160 - 35-401-160 16,0 cm / 6 1/4"




FOMON

35-405-160 16,0 cm / 6 1/4"



CONVERSE

35-407-160 16,0 cm / 6 1/4"




JOSEPH

35-408-150 15,0 cm / 6"



COTTLE

35-410-150 15,0 cm / 6"



Mucosa Knife

FREER

35-420-165 16,5 cm / 6 1/2"



FREER

35-423-190 19,0 cm / 7 1/2"



FREER

35-425-190 19,0 cm / 7 1/2"



35-430-003 3,0 mm



35-430-004 4,0 mm



35-430-005 5,0 mm

BALLENGER

35-430-003 - 35-430-005

21,0 cm / 8 1/4"



35-431-003 3,0 mm



35-431-004 4,0 mm



35-431-005 5,0 mm

BALLENGER

35-431-003 - 35-431-005

21,0 cm / 8 1/4"



Septum Knife

BRÜNINGS

035-435-165 16,5 cm / 6 1/2"



4 mm

5 mm

35-441-004

35-441-005



3,5 mm

HALLE

35-443-160 16,0 cm / 6 1/4"



4 mm

JOSEPH

35-445-160 16,0 cm / 6 1/4"



5 mm

6 mm

35-449-190

35-451-190

sharp

blunt



5 mm

sharp / blunt

5 mm

FREER

35-449-190 - 35-451-190 19,0 cm / 7 1/2"


FREER

35-455-180 18,0 cm / 7"



FREER

35-457-205 20,5 cm / 8"




MC KENTY

35-459-220 22,0 cm / 8³/₄"



BALLENGER-HAJEK

35-460-220 22,0 cm / 8³/₄"



COTTLE

35-463-235 23,5 cm / 9¹/₄"




KILIAN

35-465-180 18,0 cm / 7"



KILIAN

35-468-220 22,0 cm / 8³/₄"



PENNINGTON


35-469-215 21,5 cm / 7¹/₄"



4 / 4 mm

ROGER

35-481-195 19,5 cm / 7³/₄"



4 mm

JOSEPH-MASING

35-483-215 21,5 cm / 8¹/₂"



3,3 / 3,7 mm



COTTLE


035-485-220 22,0 cm / 8³/₄"



3 / 2 mm

MASING

35-487-210 21,0 cm / 8¹/₄"



4,5 / 4,5 mm

COTTLE

35-489-210 21,0 cm / 8¹/₄"




6,5 mm

JOSEPH

35-493-160 16,0 cm / 8¹/₄"






FREER

35-500-160 16,0 cm / 6 1/4"



FREER

35-501-160 16,0 cm / 6 1/4"



Septum Gouge

FREER

35-510-150 15,0 cm / 6"




35-520-002 2 mm



35-520-004 4 mm



35-520-006 6 mm



35-520-008 8 mm

BALLENGER

35-520-002 - 35-520-008

15,0 cm / 6"



5 mm

KILLIAN

35-525-160 16,0 cm / 6 1/4"



5 mm

KILLIAN-CLAUS

35-529-160 16,0 cm / 6 1/4"



35-530-004 4 mm



35-530-007 7 mm



35-530-009 9 mm



35-530-012 12 mm



6 mm



COTTLE


35-530-004 - 35-530-012

18,0 cm / 7"

COTTLE

35-535-006

18,0 cm / 7"



35-540-004 4 mm



35-540-007 7 mm




35-540-009 9 mm



35-540-012 12 mm



6 mm



COTTLE


35-540-004 - 35-540-012

18,0 cm / 7"


COTTLE

35-543-006

18,0 cm / 7"



16 mm



16 mm



35-550-010 10 mm



35-550-012 12 mm



35-550-014 14 mm



COTTLE

35-546-016 18,0 cm / 7"



COTTLE

35-548-016 18,0 cm / 7"



RUBIN

35-550-010 - 35-550-014 18,0 cm / 7"



35-556-030 3 mm



35-556-045 4,5 mm



WALTER

35-556-030 - 35-556-045 19,0 cm / 7 1/2"



WALTER

35-560-003 - 35-560-012 19,0 cm / 7 1/2"



35-560-003 3 mm



35-560-004 4 mm









35-560-007 7 mm



35-560-009 9 mm



35-560-012 12 mm



FOMON




35-566-004 - 35-566-007

16,0 cm / 6 1/4"

CINELLI

35-570-010 - 35-570-016

16,0 cm / 6 1/4"



NEIVERT-ANDERSON

35-580-205 - 35-583-205

20,5 cm / 8"



35-590-002 2 mm



35-590-003 3 mm



35-590-004 4 mm



35-590-005 5 mm



35-590-006 6 mm



35-590-007 7 mm



35-590-008 8 mm



35-590-010 10 mm



35-590-012 12 mm



SHEEHAN

35-590-002 - 35-590-012

15,0 cm / 6"




SILVER

35-594-001 - 35-594-003

18,0 cm / 7"


5 mm



35-594-001

straight


5 mm



35-594-002

right

5 mm




35-594-003

left



PARKES

35-596-160 16,0 cm / 6 1/4"





anged to left



anged to right

JOSEPH

35-611-001 17,0 cm / 6³/₄"

JOSEPH

35-611-002 17,0 cm / 6³/₄"



working length 40 mm



35-620-190



35-621-190



35-623-190

Cartilage Crusher




JOSEPH

35-620-190 - 35-623-190 19,0 cm / 7¹/₂"

COTTLE

35-630-000



40 x 9 mm

MALTZ


35-650-175 17,5 cm / 7"



35-652-001

34 x 7 mm

drawing cut



35-652-002


34 x 7 mm

pushing cut

MALTZ

35-652-001 - 35-652-002

17,0 cm / 6³/₄"




60 x 8 mm

fine

JOSEPH

35-654-160 16,0 cm / 6¹/₄"






45 x 9 mm

coarse

JOSEPH


35-655-160 16,0 cm / 6¹/₄"





35-674-190

drawing cut



35-676-190

drawing cut


LEWIS

35-674-190 - 35-676-190

19,0 cm / 7 1/2"



fine / coarse



30 x 8 mm

FOMON

35-680-210 21,0 cm / 8 1/4"

TC





Fig. 1/2

35-690-012

Fig. 3/4

35-690-034

Fig. 5/6

35-690-056

Fig. 7/8

35-690-078

Fig. 9/10

35-690-090



FOMON

35-690-012 - 35-690-090

20,5 cm / 8"



sharp

COTTLE

35-701-170 17,0 cm / 6³/₄"



COTTLE

35-703-001 - 35-703-003



35-703-001

sharp



35-703-002

sharp



35-703-003

sharp




button end

LANGE

35-705-220 22,0 cm / 8³/₄"

Alar Hooklet



CONVERSE

35-709-001 - 35-709-004 9,0 cm / 3¹/₂"

35-709-001 20 x 9 mm

35-709-002 28 x 13 mm

35-709-003 41 x 13 mm

35-709-004 60 x 14 mm



FOMON

35-711-170 17,0 cm / 7 1/2"


Alar Hooklet



Handle with switch, included battery.
Substandard lifetime due to minimally
current consumption.

35-716-215 21,5 cm / 8 1/2"

Nasal retractor with fiber optic light carrier



AUFRICHT


35-715-160 16,0 cm / 6 1/4"



KILNER

35-717-080 8,0 cm / 3 1/2"


Alar Hooklet



blade 45 x 10 mm

CONVERSE

35-719-105 10,5 cm / 4"



sharp

CONVERSE

35-721-115 8,0 cm / 3 1/2"

Alar Hooklet



sharp

FREER

35-723-150 15,0 cm / 6"



JOSEPH

35-725-001 15,0 cm / 6"



JOSEPH

35-725-002 - 35-725-010 16,0 cm / 6 1/4"




35-725-002



35-725-005




35-725-007



35-725-010


Mucosa Hooklet



button ended

FOMON

35-729-160 16,0 cm / 6 1/4"



button ended

COTTLE-NEIVERT

35-731-200 20,0 cm / 8"



COTTLE

35-733-001 - 35-733-003




35-733-001

sharp




35-733-002

button end / sharp




35-733-003

button end / sharp



COTTLE

35-735-140 14,0 cm / 5½"



NEIVERT

35-737-170 17,0 cm / 6¾"



COTTLE

35-741-140 14,0 cm / 5½"

Saddle Hook



COTTLE

35-743-160 16,0 cm / 6¼"



hoja

blunt

AUFRICHT


35-745-120 12,0 cm / 4¾"



KRESSNER
035-751-210 21,0 cm / 8 1/4"



COTTLE-WALSHAM
35-754-001 - 35-754-003 23,0 cm / 9"



35-754-001

straight


35-754-002

left



35-754-003

right



ASCH
35-757-225 22,5 cm / 8 3/4"




COTTLE
35-765-140 14,0 cm / 5 1/2"



1,7 mm wide with teeth



COTTLE
35-766-110 11,0 cm / 4 1/4"



12 mm wide



FAULKNER

35-781-210 21,0 cm / 8 1/4"



COAKLEY

35-785-001 - 35-785-006

17,0 cm / 6 3/4"



35-785-001



35-785-002



35-785-003



35-785-004



35-785-005



35-785-006



BECKMANN

35-800-001 - 35-800-006

22,0 cm / 8 3/4"



FIG. 1

35-800-001 10 mm



FIG. 2

35-800-002 12 mm



FIG. 3

35-800-003 14 mm




FIG. 4

35-800-004 16 mm




FIG. 5

35-800-005 20 mm




FIG. 6

35-800-006 22 mm



BECKMANN

35-810-001 - 35-810-006

22,0 cm / 8³/₄"




FIG. 1

35-810-001 10 mm




FIG. 2

35-810-002 14 mm




FIG. 3

35-810-003 16 mm




FIG. 4

35-810-004 18 mm




FIG. 5

35-810-005 20 mm




FIG. 6

35-810-006 22 mm

trapezoidal fenestrated



BARNHILL

35-820-001 - 35-820-004

21,0 cm / 8¹/₄"



FIG. 1

35-820-001 16 mm



FIG. 2

35-820-002 18 mm



FIG. 3

35-820-003 20 mm



FIG. 4

35-820-004 23 mm



ST. CLAIR-THOMSON
35-830-001 - 35-830-004

21,0 cm / 8 1/4"



FIG. 1
35-830-001




FIG. 2
35-830-002




FIG. 3
35-830-003




FIG. 4
35-830-004



LA FORCE
35-840-001 - 35-840-003

25,0 cm / 10"




FIG. 1
35-840-001




FIG. 3
35-840-003



FIG. 2
35-840-002

with perforated blade

Spare Blades

FIG. 1
35-841-001

FIG. 2
35-842-002

FIG. 3
35-843-003



Ø 3 mm

Irrigation Cannula

EICKEN-KILLIAN

35-851-140 14,0 cm / 5½"



GUILLEN

35-857-190 19,0 cm / 7½"

Suction Raspatory



SIEBENMANN

35-855-015	15,0 cm / 6"	Ø 1,5 mm
35-855-017	15,0 cm / 6"	Ø 1,7 mm
35-855-020	15,0 cm / 6"	Ø 2,0 mm
35-855-025	15,0 cm / 6"	Ø 2,5 mm
35-855-030	15,0 cm / 6"	Ø 3,0 mm



RITTER-HALLE

35-859-025	14,5 cm / 5¾"	Ø 2,5 mm
35-859-030	14,5 cm / 5¾"	Ø 3,0 mm
35-855-040	14,5 cm / 5¾"	Ø 4,0 mm
35-859-050	14,5 cm / 5¾"	Ø 5,0 mm



UNIVERSAL

35-870-000

with adjustable nozzle bottle and rubber bulb



35-870-002

Spare Bottle

UNIVERSAL

35-870-001

as ref. 035-870-000 without rubber bulb